

To: McComb, Martin[McComb.Martin@epa.gov]
Cc: Christner, Jan[Jan.Christner@WestonSolutions.com]; Way, Steven[way.steven@epa.gov]
From: Rob Runkel
Sent: Fri 9/4/2015 3:17:37 PM
Subject: RE: predicting A72 concentrations w/o GK treatment

based on what Jan sent, I'm working on a revised approach that I'll send out in about a half hour. So you may want to hold off on the packaging...

On Fri, 4 Sep 2015, McComb, Martin wrote:

> What you provided is above and beyond but really useful. Thank You very much.
>
> I will get ahold of Way and attempt to package this up. I'll try and send something out soon.
>
> M
>
>
> -----Original Message-----
> From: Christner, Jan [mailto:Jan.Christner@WestonSolutions.com]
> Sent: Thursday, September 03, 2015 9:01 PM
> To: Rob Runkel; Way, Steven; McComb, Martin
> Subject: RE: predicting A72 concentrations w/o GK treatment
>
> Somebody mentioned that we might need to talk in the morning.
>
> My day is partially booked with team that will be interviewing water treatment vendors. Pre-meeting at 0730. Interviews at 0830, 1100, and 1300. There will likely be time in between that we can talk. Or if this is more important, please discuss with Kerry and let me know.
>
> -----Original Message-----
> From: Rob Runkel [mailto:runkel@usgs.gov]
> Sent: Thursday, September 03, 2015 5:37 PM
> To: Christner, Jan; Steve Way; mccomb.martin@epa.gov
> Subject: predicting A72 concentrations w/o GK treatment
>
>
> As I said on the phone, perhaps more for me than for you, a
> recap:

CBI/Ex. 4

CBI/Ex. 4

> Rob Runkel
> Research Hydrologist
> U.S. Geological Survey
> runkel@usgs.gov
> 303.541.3013
> <http://profile.usgs.gov/runkel>

> -----

>

> CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

>